

Features

Completely manual articulated hospital bed, with fixed height; Easy and intuitive to use. It helps welfare and comfortability of patient.

Specially created to be used in hospitals, clinics and other similar uses.

Some of their principal features are:

- To transport easier:

Lightweight. It has four castors with high rolling, wear and rust resistance. It has a minimum noise emission whilst moving; It has a centralised braking system by lateral braking pedals, which is localised on the footboard zone.

- Easy and intuitive using:

The bed base is divided in two sections (one of them is articulated) or in four articulated sections. Both cases the articulations make manually.

The movement of backrest and legrest is making by spindles. The spindles are placed under the footboard.

Articulated footrest section in different positions by rastomat system.

- Encourage the welfare of patient:

The backrest section is X-ray transparent, ready to use with X-Ray.

Double-regression system. This system minimize the pressure in the sacrum zone of patient to reduce the risk of pressure ulcers.

- Other advantages:

HPL removable bed base sections (backrest, legrest and footrest) with tools. In the case that the bed has four bed base sections, the central section is fixed and made by sheet steel.

All of components of bed are easy to clean and have a high antibacterial protection.

Polypropylene side rails with hand grip zone to help the patient sitting and exit the bed. Folding system by gas spring.

Easily removable head and foot boards with locking system.

4 protection cylinders localised in the corners that avoid the shocks reducing the impacts and damage of bed.

2 guides localise on both sides of bed to hang up drain hooks. There are include four drain hooks on each guide.


4 mattress retainers in feet and thorax. Customizable vinyls.

- Furthermore the NewCare V1 bed disposes of a wide range of accessories and complements, which provide to comply the hospital and patient needs for their comfort and welfare.



Technical Information

Total length with headboard and footboard	225 cm. ± 1 cm.
Total width with side rails	98 cm. ± 1 cm.
Height of bed base (without mattress)	
<ul style="list-style-type: none"> Integral wheel (Ø15 cm) Wheel with brake (Ø15 cm) Metallic wheel (Ø15 cm) 	55 cm. ± 1 cm 55 cm. ± 1 cm 55,5 cm. ± 1 cm
Crane passing clearance height	
<ul style="list-style-type: none"> Integral wheel (Ø15 cm) Wheel with brake (Ø15 cm) Metallic wheel (Ø15 cm) 	17 cm. 17 cm. 17,5 cm.
Length of bed base sections	
<ul style="list-style-type: none"> Bed base with 2 sections Bed base with 4 sections 	79 / 116,2 cm. 79 / 17 / 32 / 62 cm.
Bed base double-regression	
<ul style="list-style-type: none"> Bed base with 2 sections Bed base with 4 sections 	12 cm. 15 cm.
Width of bed base	65° ± 5°
Angle of backrest tilting	65° ± 5°
Angle of legrest tilting	43° ± 2°
Angle of footrest tilting	18° / 7° ± 2°
Maximum patient weight (MPW)	185 kg.
Safe working load (SWL)	230 kg.
Unladen bed weight	From 125 kg to 150 kg.
Recommended dimensions of mattress	85 cm. x 200 cm.



Configuration

Standard			
Protection	Transport	Wellness	Others
Integral side rails	Integral wheels Ø15 cm	Bed base with 4 sections	Drain hooks
Removable curved footboard	Lateral braking pedal	HPL and sheet steel central bed base (1)	Pardo P.288 vinyl (3)
		Rastomat for footrest (2)	
Optional			
Protección	Transporte	Bienestar	Otros
Four tube side rails	Wheel with individual brake (Ø15 cm)	Bed base with 2 sections	Customizable vinyl (6)
Fixed curved footboard (4)	Metallic wheel (Ø15 cm)	HPL bed base (5)	

● Mandatory standards
○ Changeable options


Standards

- UNE EN ISO 12100 Standard.
- UNE EN 60601-1 Standard.
- UNE EN 60601-2-52 Standard.

EN 60601-2-52:2010 test

- Mechanical test of side rails made in IBV (Instituto Biomecánico de Valencia).

Accessories



INCOMPATIBILITIES:

- 1 - Only the bed base with 4 sections has the combination of HPL and sheet steel bed base.
- 2 - The rastomat is only for beds with 4 sections articulated.
- 5 - The HPL bed base are for beds with 2 sections of bed base.

NOTES:

- 3 - The standard vinyls have these features:
 - Blue colour, code P.288
 - Only including the Pardo logotype in white colour.
- 4 - The fixed curved headboard/footboard is bolted to the frame of head/foot board.
- 6 - The customizable vinyls depends on quantity of order (Seeing "Delivery time")
 - Colour: If it is possible, the background will made by one colour.
 - Logotype: It is possible including the customer logotype. Always the logotype will be white, unless the client requests otherwise.

DELIVERY TIMES:

Beds (From the mechanised of order).

Standard Newcare V1 bed:

- Order < 5 units: Consulting with production department
- Order < 50 units: 5 - 6 weeks
- Order > 50 units: 7 - 8 weeks

Newcare V1 special bed:

- Consulting with production department

Vinyls (From the mechanised of order).

- Order < 25 units: It made by digital printed. It is possible add some colour. Normal delivery times: 10 days.
- Order > 25 units: It made by serigraph. When there are more colours, the prize is expensive. Normal delivery times: 3 weeks.

CODE PRODUCTS FOR ORDER (ONLY FOR PRODUCTION DEPARTMENT):

- BED Code: (E.G: SC8018100000XXX)
- SIDE RAILS Code: (E.G: BC8011800000XX)
- HEADBOARD - FOOTBOARD Code: (E.G: RC801220000000XXX)
- VINYL Code: (E.G: AC801240000000XX)
- USER MANUALS Code (E.G: XX849990000000XXX)
Sent the pdf by email.
- DOCUMENTATION code (E.G: XX849980000000XXX)
Mechanize one "Fast Data sheet" per unit.
- PACKAGING Code: AC8012100000021
- ACCESSORIES Code, according the order.